

Section 1: Identification

Product Name: PRONAIL- TOP COAT

Product Code: 60-2900

Product Use: Nail Treatment

Chemco Corporation
 4920 NW 165th Street
 Miami, FL 33014, United States of America

Telephone Number: 1-305-623-4445
 International Number: 1-352-323-3500
 Emergency Telephone Number: 1-800-535-5053

Section 2: Hazard Identification

Flammable liquid Category 2
Eye corrosive Category 2A
Organ toxin single exposure Category 3



Signal Word: Danger

GHS Hazard Statements: H225: Highly flammable liquid and vapour

H319: Causes serious eye irritation

H336: May cause drowsiness or dizziness

GHS Precautionary Statements: P210: Keep away from heat/sparks/open flames/hot surfaces – No smoking

P233: Keep container tightly closed

P240: Ground/bond container and receiving equipment

P241: Use explosion-proof electrical/ventilating/light/.../equipment

P242: Use only non-sparking tools

P243: Take precautionary measures against static discharge

P261: Avoid breathing dust/fume/gas/mist/vapours/spray

P264: Wash ... thoroughly after handling

P271: Use only outdoors or in a well-ventilated area

P280: Wear protective gloves/protective clothing/eye protection/face protection

P312: Call a POISON CENTER or doctor/physician if you feel unwell

P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P305+P351+P338: IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing

P337+P313: Get medical advice/attention

P370+P378: In case of fire: Use ... for extinction

P405: Store locked up

P403+P233: Store in a well ventilated place. Keep container tightly closed

P403+P235: Store in a well ventilated place. Keep cool

P501: Dispose of contents/container to local and/or state regulation

Section 3: Composition/Information on Ingredients

Chemical/INCI Name	CAS No.	Conc. (%)
--------------------	---------	-----------

Ethyl Acetate	141-78-6	50 - 60
Isopropyl Alcohol	67-63-0	20 - 30
Butyl Acetate	123-86-4	20 - 30
Triphenyl Phosphate	115-86-6	1 - 5

Note: Some Specific chemical Identities and/or exact percentage (Concentrations) may have been withheld as a trade secret.

Section 4: First-Aid Measures

Inhalation: Consult a physician after significant exposure. If unconscious place in recovery position and seek medical advice.

Eye Contact: Immediately flush with clean, lukewarm water (low pressure) occasionally lifting eyelids. Seek medical attention if irritation develops.

Skin Contact: None expected under normal use. In case of skin irritation, wash thoroughly with generous amounts of water and discontinue use of product. Apply cold compresses to affected areas to relieve any discomfort. If discomfort persists, you should contact a physician.

Ingestion: Not an expected route of exposure. Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

Notes to Physician: Treat symptomatically.

Section 5: Fire-Fighting Measures

Extinguishing Media: Use extinguishing measure that are appropriate to local circumstances and surrounding environment. Suitable media: Carbon dioxide (CO₂), dry chemical, Alcohol-resistant foam.

Unsuitable Media: High volume water jet

Unusual Hazards: Do not allow run-off from fire fighting to enter drains or water courses.

Haz. Comb. Products: None known.

Fire Fighting: Contact emergency personnel. Use a water spray to cool fully closed containers. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Fire Equipment: As in any fire, use self-contained breathing apparatus and full protective gear.

Section 6: Accidental Release Measures

Spill Procedure: Soak up with absorbent materials and wash with water; place in non-leaking containers for appropriate disposal. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Small Spill: No special precautions.

Large Spill: Use protective equipment as necessary. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations

Section 7: Handling and Storage

Handling Precautions: Avoid formation of aerosol. Do not breathe vapours/dust. Avoid exposure, obtain special instructions before use. Avoid contact with skin and eyes. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms.

Storage Requirements: No smoking. Keep containers upright and tightly closed in a dry, cool and well-ventilated place. In order to maintain product quality do not store near heat source or in direct sunlight. Avoid bacterial contamination.

Section 8: Exposure Controls/Personal Protection

Chemical Name / CAS No.	OSHA PEL	ACGIH TLV (TWA)
Ethyl Acetate 141-78-6	400 ppm	400 ppm
Isopropyl Alcohol 67-63-0	400 ppm (ST) 500 ppm	200 ppm (ST) 400 ppm
Butyl Acetate 123-86-4	150 ppm	150 ppm
Triphenyl Phosphate 115-86-6	3 mg/m ³	3 mg/m ³

Ventilation: No ventilation requirements.

Protective Gear: **Respiratory Protection:** Not applicable under normal conditions

Skin Protection:

Resistant Plastic or rubber gloves (optional)

Eye Protection:

Safety glasses or goggles. (optional)

Contaminated Gear: Dispose according to local and state regulation.

Section 9: Properties

Note: Some of data below is not shown either because it is not relevant and/or readily available.

Appearance: Liquid

Specific Gravity: 0.911

Solubility: Insoluble

Boiling range: N/A

Flash point: -4 C

Evaporation rate: N/A

Flammability: N/A

Explosive Limits: N/A

Partition coefficient (n-octanol/water): N/A

Autoignition temperature: N/A

Decomposition temperature: N/A

Section 10: Stability and Reactivity

Stability: Stable

Conditions to avoid: Direct Heat or Flame

Incompatibility (Materials to avoid): None
Hazardous Polymerization: Does not occur
Hazardous Decomposition Products: Unknown

Section 11: Toxicological Information

No Information Available

Section 12: Ecological Information

Ecotoxicity

The product is not expected to be hazardous to the environment.

Persistence and degradability: No information available.

Bioaccumulative potential: No information available.

Mobility: No information available.

Other adverse effects: No information available.

Section 13: Disposal Considerations

Do not contaminate food or feed by storage or disposal. Do not reuse empty container. Wrap empty container and throw in trash collection. Dispose of according to federal, state, and local regulations regarding health, air, and water pollution.

Section 14: Transport Information

UN Number : 1263
Proper Name : Paint (Ethyl Acetate, Isopropanol, Butyl Acetate)
Class : 3
Packaging Group : II
Flash Point : -4 °C
EMS : F-E, S-E

Section 15: Regulatory Information

No Information

Section 16: Other information

CHEMCO CORP. believes that the information contained in this S.D.S is correct as of this date. However, because the material may be used under conditions which CHEMCO CORP. has no control of or in ways we cannot anticipate, we give no warranty, expressed or implied, as to accuracy of the information and assume no responsibility for any damage to person, property or business arising from such use. Moreover, it is the responsibility of the purchaser or user of this material to ensure that is properly and safely used.

Prepared: 11/16/2016
Date revised: 2016-11-15
Revision: 1